

GILT CREEK DEPOSIT

(1.3 g/t cut off, 85 gpt cap)

Composite Intersections >10 (grade x width)

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-01	217	226	9	2.56	23.0
OMU-02	172	220	48	4.06	194.8
OMU-02	224	243	19	1.84	35.0
OMU-02	249	263	14	4.13	57.8
OMU-02	279	293	14	1.54	21.5
OMU-02	356	358	2	5.08	10.2
OMU-03	163.25	173	9.75	1.70	16.6
OMU-04	187.75	199	11.25	3.92	44.1
OMU-04	218	221	3	18.02	54.1
OMU-04	246	251	5	2.55	12.7
OMU-04	285	286	1	15.30	15.3
OMU-04	292	299	7	2.53	17.7
OMU-04	323	332	9	11.63	104.7
OMU-04	337	348	11	2.67	29.4
OMU-04	364	401	37	5.51	203.9
OMU-05	210	215	5	2.15	10.8
OMU-05	227	228	1	17.30	17.3
OMU-05	265	273	8	1.87	14.9
OMU-05	281	311	30	2.86	85.9
OMU-05	316	328	12	2.54	30.4
OMU-05	332	357	25	2.33	58.2
OMU-05	377	389	12	3.36	40.3
OMU-05	444	452	8	1.42	11.4
OMU-05	530	546	16	2.60	41.6
OMU-06	179	186	7	1.83	12.8
OMU-06	236	242	6	1.84	11.0
OMU-06	332	346	14	2.57	36.0
OMU-06	352	368	16	2.35	37.7
OMU-07	153	181	28	2.63	73.5
OMU-07	212	216	4	2.99	12.0
OMU-07	233	236	3	4.63	13.9
OMU-07	284	287	3	5.33	16.0
OMU-07	328	333	5	2.51	12.6

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-07	337	353	16	1.65	26.4
OMU-07	361	374	13	6.75	87.8
OMU-07	497	500	3	7.04	21.1
OMU-07	509	510	1	68.78	68.8
OMU-08	160	165	5	2.10	10.5
OMU-08	241	256	15	1.45	21.7
OMU-08	262	306	44	2.99	131.5
OMU-08	311	319	8	1.83	14.7
OMU-08	326	348	22	1.39	30.6
OMU-08	383	388	5	2.11	10.6
OMU-09	153	168	15	2.68	40.2
OMU-09	182	187	5	2.43	12.2
OMU-09	218	223	5	2.03	10.2
OMU-09	269	270	1	25.11	25.1
OMU-09	313	317	4	2.87	11.5
OMU-10	316	322	6	6.10	36.6
OMU-10	343	348	5	2.54	12.7
OMU-10	353	359	6	2.13	12.8
OMU-10	366	378	12	1.85	22.2
OMU-10	383	386	3	4.66	14.0
OMU-10	396	423	27	2.39	64.6
OMU-10	430	440	10	5.34	53.4
OMU-10	447	452	5	2.01	10.1
OMU-11	252	281	29	3.88	112.5
OMU-11	302	349	47	2.72	127.8
OMU-11	359	360	1	44.19	44.2
OMU-11	401	409	8	2.29	18.3
OMU-11	432	458	26	1.86	48.3
OMU-12	292	315	23	4.58	105.3
OMU-12	344	346	2	9.28	18.6
OMU-12	358	364	6	4.20	25.2
OMU-12	463	471	8	2.28	18.2
OMU-12	605	623	18	2.59	46.7
OMU-12	631	635	4	4.12	16.5
OMU-13	231	233	2	5.48	11.0

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-13	278	285	7	2.17	15.2
OMU-13	297	302	5	2.34	11.7
OMU-13	312	329	17	2.49	42.4
OMU-13	338	357	19	2.46	46.8
OMU-13	399	405	6	3.80	22.8
OMU-13	431	432	1	13.59	13.6
OMU-13	465	473	8	3.67	29.4
OMU-13	531	542	11	1.77	19.5
OMU-14	155	177	22	1.77	38.8
OMU-14	275	311	36	4.42	159.1
OMU-14	335	359	24	2.58	61.8
OMU-14	363	379	16	2.84	45.5
OMU-15	176	187	11	2.87	31.5
OMU-15	202	208	6	2.31	13.9
OMU-15	290	308	18	3.65	65.6
OMU-15	324	347	23	7.02	161.4
OMU-15	365	388	23	1.81	41.6
OMU-15	435	449	14	1.35	18.9
OMU-15	491	499	8	1.37	10.9
OMU-15	554	558	4	11.95	47.8
OMU-16	158	165	7	5.88	41.1
OMU-16	179	182	3	5.83	17.5
OMU-16	224	232	8	1.87	15.0
OMU-16	278	282	4	2.83	11.3
OMU-16	296	305	9	2.98	26.9
OMU-16	343	375	32	5.04	161.2
OMU-16	392	403	11	4.93	54.2
OMU-17	223	236	13	1.56	20.3
OMU-17	294	330	36	1.82	65.4
OMU-17	336	344	8	1.51	12.1
OMU-17	380	384	4	3.87	15.5
OMU-17	446	452	6	2.37	14.2
OMU-17	480	496	16	1.66	26.6
OMU-17	722	727	5	3.55	17.8
OMU-17	802	804	2	7.07	14.1

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-17	870	872	2	15.26	30.5
OMU-18	214	220	6	1.93	11.6
OMU-18	294	308	14	2.67	37.4
OMU-18	313	376	63	3.13	197.2
OMU-18	403	410	7	4.71	32.9
OMU-18	421	424	3	7.74	23.2
OMU-19	177	185	8	1.65	13.2
OMU-19	236	254	18	1.92	34.5
OMU-19	264	268	4	3.49	13.9
OMU-19	272	278	6	4.17	25.0
OMU-19	300	320	20	2.57	51.4
OMU-19	340	358	18	1.47	26.4
OMU-19	363	370	7	1.82	12.7
OMU-19	420	428	8	1.66	13.3
OMU-19	440	446	6	2.79	16.7
OMU-19	466	473	7	2.93	20.5
OMU-19	482	483	1	11.47	11.5
OMU-19	488	489	1	28.27	28.3
OMU-22	268	276	8	3.95	31.6
OMU-22	293	319	26	3.37	87.5
OMU-22	326	386	60	3.15	188.8
OMU-22	401	435	34	2.41	81.9
OMU-22	532	545	13	2.10	27.3
OMU-22	582	591	9	1.85	16.7
OMU-22	599	603	4	2.70	10.8
OMU-22	686	688	2	6.14	12.3
OMU-23	156	165	9	2.83	25.5
OMU-23	172	179	7	1.90	13.3
OMU-23	209	212	3	4.28	12.8
OMU-23	234	235	1	56.13	56.1
OMU-23	284	306	22	1.56	34.4
OMU-23	336	359	23	2.99	68.7
OMU-24	283	316	33	2.32	76.6
OMU-24	326	331	5	2.14	10.7
OMU-24	336	349	13	3.37	43.8

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-24	361	369	8	4.43	35.4
OMU-24	382	403	21	5.02	105.4
OMU-24	425	431	6	2.38	14.3
OMU-24	443	449	6	2.42	14.5
OMU-24	484	485	1	19.90	19.9
OMU-24	500	507	7	3.59	25.1
OMU-24	527	535	8	1.46	11.7
OMU-24	573	575	2	5.29	10.6
OMU-24	609	611	2	6.66	13.3
OMU-24	655	657	2	7.03	14.1
OMU-24	668	675	7	2.23	15.6
OMU-24	716	723	7	2.26	15.8
OMU-25	142	159	17	1.43	24.2
OMU-25	164	177	13	1.90	24.6
OMU-25	182	188	6	1.99	11.9
OMU-25	196	202	6	4.54	27.3
OMU-25	258	266	8	1.78	14.2
OMU-25	300	304	4	14.44	57.8
OMU-25	320	344	24	4.37	104.8
OMU-25	372	376	4	3.40	13.6
OMU-25	381	399	18	4.04	72.8
OMU-25	406	415	9	5.01	45.1
OMU-26	174	184	10	2.91	29.1
OMU-26	196	209	13	1.42	18.5
OMU-26	229	237	8	4.35	34.8
OMU-26	242	273	31	2.23	69.1
OMU-26	315	328	13	2.08	27.1
OMU-26	365	369	4	2.91	11.6
OMU-27	504	505	1	12.36	12.4
OMU-28	179	190	11	1.96	21.5
OMU-28	199	203	4	23.40	93.6
OMU-28	215	238	23	2.33	53.5
OMU-28	255	265	10	1.93	19.3
OMU-28	271	275	4	2.55	10.2
OMU-28	295	305	10	3.80	38.0

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-28	313	344	31	6.26	193.9
OMU-28	350	356	6	2.03	12.2
OMU-29	375	382	7	2.07	14.5
OMU-29	395	397	2	43.44	86.9
OMU-29	485	489	4	6.89	27.5
OMU-29	619	626	7	13.64	95.5
OMU-29	643	682	39	3.02	117.8
OMU-30	339	351	12	3.35	40.3
OMU-30	357	368	11	1.41	15.5
OMU-30	372	385	13	3.21	41.7
OMU-30	402	403	1	26.14	26.1
OMU-30	482	506	24	1.62	38.9
OMU-31	334	339	5	4.23	21.2
OMU-31	414	419	5	2.45	12.2
OMU-31	454	497	43	2.14	91.8
OMU-31	536	555	19	1.76	33.5
OMU-31	567	571	4	3.88	15.5
OMU-31	586	592	6	1.91	11.5
OMU-31	604	615	11	1.57	17.2
OMU-31	620	623	3	22.36	67.1
OMU-31	650	664	14	1.38	19.3
OMU-31	697	720	23	3.42	78.6
OMU-31	725	737	12	10.60	127.2
OMU-32	388	399	11	2.69	29.6
OMU-32	412	421	9	2.30	20.7
OMU-32	489	539	50	1.61	80.5
OMU-32	577	586	9	4.80	43.2
OMU-32	627.5	633	5.5	4.87	26.8
OMU-32	662	670	8	1.98	15.9
OMU-32	674	683	9	4.97	44.8
OMU-33	407	410	3	4.61	13.8
OMU-33	489	495	6	1.73	10.4
OMU-33	503	511	8	7.60	60.8
OMU-33	583	594	11	1.65	18.2
OMU-33	598	603	5	2.35	11.8

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-33	615	617	2	8.25	16.5
OMU-33	631	636	5	2.11	10.5
OMU-34	408	414	6	10.97	65.8
OMU-34	421	428	7	4.22	29.5
OMU-34	433	437	4	4.35	17.4
OMU-34	462	471	9	1.89	17.0
OMU-34	493	502	9	3.15	28.4
OMU-34	567	587	20	1.71	34.2
OMU-35	390	403	13	2.49	32.3
OMU-35	431	434	3	5.32	16.0
OMU-35	438	451	13	2.31	30.0
OMU-35	468	473	5	3.66	18.3
OMU-35	524	526	2	43.16	86.3
OMU-35	561	570	9	1.47	13.3
OMU-35	612	619	7	13.15	92.0
OMU-35	634	636	2	15.95	31.9
OMU-35	656	666	10	14.87	148.7
OMU-35	680	688	8	2.92	23.4
OMU-35	794	798	4	4.25	17.0
OMU-35	884	888	4	7.11	28.4
OMU-36	412	454	42	4.06	170.5
OMU-36	459	469	10	4.99	49.9
OMU-36	482	487	5	2.43	12.1
OMU-36	564	571	7	2.48	17.4
OMU-37	387	416	29	2.72	78.9
OMU-37	505	512	7	3.35	23.5
OMU-37	519	521	2	13.82	27.6
OMU-37	526	530	4	7.60	30.4
OMU-37	573	577	4	3.76	15.0
OMU-37	581	588	7	1.59	11.1
OMU-37	630	634	4	4.59	18.3
OMU-38	377	385	8	3.06	24.5
OMU-38	400	426	26	1.79	46.6
OMU-38	447	455	8	10.39	83.1
OMU-38	460	484	24	2.90	69.6

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-38	488	493	5	3.53	17.7
OMU-38	517	537	20	2.86	57.3
OMU-38	541	545	4	3.28	13.1
OMU-38	549	558	9	1.80	16.2
OMU-38	591	605	14	1.58	22.2
OMU-39	357.9	400	42.1	2.75	115.9
OMU-39	406	414	8	3.07	24.6
OMU-39	435	439	4	4.00	16.0
OMU-39	484	493	9	1.49	13.4
OMU-39	497	503	6	2.94	17.6
OMU-39	603	609	6	2.36	14.2
OMU-39	787	789	2	43.92	87.8
OMU-39	801	803	2	7.12	14.2
OMU-39	824	832	8	2.36	18.8
OMU-40	388	395	7	1.86	13.0
OMU-40	424	436	12	2.50	29.9
OMU-40	463	470	7	3.10	21.7
OMU-40	491	526	35	2.56	89.5
OMU-40	531	543	12	1.65	19.7
OMU-40	556	565	9	2.41	21.7
OMU-40	617	619	2	11.41	22.8
OMU-40	670	672	2	8.51	17.0
OMU-40	726	731	5	3.00	15.0
OMU-40	744	745	1	10.66	10.7
OMU-41	337	340	3	10.83	32.5
OMU-41	346	365	19	1.60	30.3
OMU-41	372	386	14	2.04	28.6
OMU-41	397	418	21	3.13	65.8
OMU-41	438	449	11	3.39	37.3
OMU-41	457	468	11	1.70	18.7
OMU-41	478	482	4	13.80	55.2
OMU-41	526	534	8	1.93	15.4
OMU-41	549	554	5	3.20	16.0
OMU-41	584	594	10	1.67	16.7
OMU-41	608	612	4	3.70	14.8

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-41	616	633	17	2.41	40.9
OMU-41	662	675	13	1.81	23.5
OMU-41	738	741	3	12.36	37.1
OMU-41	756	770	14	4.96	69.5
OMU-41	790	800	10	3.57	35.7
OMU-41	815	816	1	15.23	15.2
OMU-41	825	834	9	1.49	13.4
OMU-41	908	913	5	10.10	50.5
OMU-41	929	937	8	1.52	12.1
OMU-42	348	349	1	12.95	13.0
OMU-42	400	402	2	5.17	10.3
OMU-42	406	412	6	2.16	12.9
OMU-42	416	428	12	3.16	37.9
OMU-42	437	440	3	3.77	11.3
OMU-42	451	459	8	1.45	11.6
OMU-42	464	472	8	3.18	25.4
OMU-42	477	484	7	12.16	85.1
OMU-42	523	525	2	7.72	15.4
OMU-43	391	399	8	3.89	31.1
OMU-43	408	416	8	3.30	26.4
OMU-43	449	463	14	2.55	35.7
OMU-43	582	584	2	5.58	11.2
OMU-43	599	613	14	2.74	38.3
OMU-43	617	631	14	1.78	24.9
OMU-44	385	391	6	2.15	12.9
OMU-44	395	399	4	2.86	11.5
OMU-44	448	454	6	2.28	13.7
OMU-44	491	496	5	6.05	30.3
OMU-44	509	539	30	3.53	106.0
OMU-44	548	553	5	6.81	34.0
OMU-44	561	564	3	8.56	25.7
OMU-44	583	584	1	11.57	11.6
OMU-44	608	619	11	2.21	24.3
OMU-44	626	628	2	8.75	17.5
OMU-44	685	694	9	4.04	36.4

Drill Hole Number	FROM	TO	LENGTH (metres)	Gold Grade (g/t)	Grade (capped) x width
OMU-45	377	393	16	1.74	27.8
OMU-45	399	402	3	5.38	16.1
OMU-45	414	424	10	1.71	17.1
OMU-45	460	461	1	13.09	13.1
OMU-45	487	503	16	2.33	37.2
OMU-45	531	539	8	3.57	28.6
OMU-45	562	565	3	13.64	40.9
OMU-45	642	644	2	6.69	13.4
OMU-45	674	691	17	3.75	63.7
OMU-45	695	702	7	1.60	11.2
OMU-46	291.45	302	10.55	2.62	27.6
OMU-46	310	322	12	4.28	51.4
OMU-46	328	333	5	2.20	11.0
OMU-46	391	398	7	2.43	17.0
OMU-46	402	409	7	2.96	20.7
OMU-46	415	420	5	8.08	40.4
OMU-46	431	436	5	18.95	94.8
OMU-46	441	452	11	4.38	48.1
OMU-46	480	493	13	1.55	20.2

** Note these drill holes were collared at the bottom of the former open pit, so downhole depths are from the pit bottom, not from surface.