

Results from 2021 Wenot Drill Program, Omai Project, Guyana

Hole Id	Includes	From (m)	To (m)	Interval (m)	Grade (g/t Au)	g/t Au x m
210DD-001		82.5	102.0	19.5	2.2	42.9
		134.0	140.0	6.0	1.0	6.0
		179.3	190.3	11.0	0.5	5.5
		284.0	286.0	2.0	1.0	2.0
		310.0	323.5	13.5	3.6	48.6
	<i>Includes</i>	<i>320.0</i>	<i>321.0</i>	<i>1.0</i>	<i>12.2</i>	<i>12.2</i>
		349.0	355.0	6.0	0.4	2.4
		388.0	391.0	3.0	5.4	16.2
		428.0	430.0	2.0	0.5	1.0
		434.0	450.0	16.0	9.0	144.0
	<i>Includes</i>	<i>443.0</i>	<i>444.0</i>	<i>1.0</i>	<i>12.0</i>	<i>12.0</i>
		466.0	468.0	2.0	1.2	2.4
		472.0	485.0	13.0	0.8	10.4
	495.0	515.0	20.0	0.9	18.0	
210DD-02		208.0	214.0	7.1	2.3	16.3
	<i>Includes</i>	208.0	209.5	1.5	8.9	13.4
		298.0	302.0	4.0	0.7	2.8
		334.9	367.0	32.1	3.6	115.6
	<i>Includes</i>	354.0	355.0	1.0	11.7	11.7
	<i>And</i>	356.0	357.4	1.4	26.0	36.4
		463.0	483.0	20.0	0.3	6.0
		495.6	514.0	18.4	2.2	40.5
210DD-03		314.0	321.0	7.0	1.5	10.5
		354.4	357.5	3.1	4	12.4
		377.0	379.0	2.0	2.3	4.6
		384.0	386.0	2.0	3.7	7.4
		396.0	400.0	4.0	2.6	10.4
		418.0	420.4	2.4	1.9	4.6
		425.4	428.0	2.6	0.9	2.3
		438.8	441.6	2.8	2.6	7.3
		450.9	465.0	14.1	1.7	24.0
	<i>Includes</i>	<i>458.4</i>	<i>459.4</i>	<i>1.0</i>	<i>10.4</i>	<i>10.4</i>
210DD-08		285.0	287.0	2.0	2.3	4.6
		292.0	294.7	2.7	0.7	1.9
		338.0	343.0	5.0	0.7	3.5

	352.0	356.0	4.0	0.6	2.4
	381.0	391.2	10.2	1.9	19.4
<i>Includes</i>	<i>381.0</i>	<i>382.0</i>	<i>1.0</i>	<i>9.1</i>	<i>9.1</i>
	433.0	439.0	6.0	0.4	2.4
	442.0	446.0	4.0	4.7	18.8
	455.0	468.0	13.0	2.8	36.4
<i>Includes</i>	<i>457.1</i>	<i>458.2</i>	<i>1.1</i>	<i>6.5</i>	<i>7.2</i>
<i>and</i>	<i>459.2</i>	<i>460.2</i>	<i>1.0</i>	<i>5.2</i>	<i>5.2</i>
<i>And</i>	<i>464.2</i>	<i>465.2</i>	<i>1.0</i>	<i>6.3</i>	<i>6.3</i>
	498.8	507.8	9.0	6.6	59.4
<i>Includes</i>	<i>502.8</i>	<i>503.8</i>	<i>1.0</i>	<i>43.5</i>	<i>43.5</i>
	517.8	526.7	8.9	0.6	5.3
21ODD-09	391.0	393.0	2.0	36.2	72.4
	420.0	422.0	2.0	1.6	3.2
	434.0	446.0	12.0	0.6	7.2
	449.0	452.0	3.0	1.1	3.3
	507.0	511.6	4.6	2.3	10.6
<i>Includes</i>	<i>509.6</i>	<i>510.0</i>	<i>0.4</i>	<i>6.1</i>	<i>2.4</i>
21ODD-10	260.0	273.0	13.0	0.9	11.7
<i>Includes</i>	<i>263.0</i>	<i>265.0</i>	<i>2.0</i>	<i>3.3</i>	<i>6.6</i>
	486.0	487.2	1.2	1.6	1.9
21ODD-11	22.6	24.1	1.5	3.2	4.8
	67.2	67.8	0.6	14.7	8.8
	206.0	218.4	12.4	1.5	18.6
	241.4	242.4	1.0	5.5	5.5
	285.3	289.2	3.9	1.3	5.1
	297.6	299.0	1.4	2.2	3.1
	302.0	307.0	5.0	1.8	9.0
<i>Includes</i>	<i>302.0</i>	<i>302.4</i>	<i>0.4</i>	<i>7.1</i>	<i>2.8</i>
<i>And</i>	<i>305.3</i>	<i>305.8</i>	<i>0.5</i>	<i>7.6</i>	<i>3.8</i>
	313.9	323.1	9.2	1.6	14.7
	326.7	338.9	12.2	1.1	13.4
<i>Includes</i>	<i>335.0</i>	<i>335.5</i>	<i>0.5</i>	<i>9.4</i>	<i>4.7</i>
<i>And</i>	<i>337.9</i>	<i>338.9</i>	<i>1.0</i>	<i>4.3</i>	<i>4.3</i>
	346.0	348.0	2.0	5.1	10.2
	388.0	390.0	2.0	2.0	4.0
	443.3	446.3	3.0	0.9	2.7
	454.8	469.6	14.8	0.6	8.9
21ODD-13	355.0	358.0	3.0	0.88	2.6
	373.0	389.0	16.0	2.2	35.2
	412.1	415.0	2.9	2.58	7.5
	421.0	423.0	2.0	3.56	7.1

		440.0	451.0	11.0	0.83	9.1
		467.0	486.0	19.0	6.92	131.5
	<i>Includes</i>	467.0	470.0	3.0	31.72	95.2
	<i>and</i>	472.0	473.0	1.0	26.0	26.0
21ODD-14		367.6	373.6	6.0	0.56	3.4
		389.3	390.8	1.5	56.02	84.0
		397.5	401.5	4.0	1.26	5.0
		410.5	418.0	7.5	0.96	7.2
		426.0	430.0	4.0	1.32	5.3
		440.0	452.0	12.0	2.12	25.4
		536.1	557.0	20.9	1.29	27.0
		604.8	606.8	2.0	2.6	5.2
21ODD-20		163.9	168.4	4.5	1.93	8.7
		180.1	181.5	1.4	9.91	13.9
		225.2	226.9	1.7	22.05	37.5
		235.3	238.0	2.7	5.28	14.3
		241.9	249.4	7.5	0.39	2.9
		252.7	260.5	7.8	1.00	7.8
	<i>Including</i>	252.7	257.1	4.4	3.33	14.7
		286.3	289.7	3.3	1.39	4.6
21ODD-21		136.9	145.3	8.4	5.16	43.3
		289.0	290.5	1.5	0.93	1.4
		295.0	296.5	1.5	1.61	2.4
		397.0	403.0	6.0	5.00	30.0
		445.5	456.5	11.0	1.46	16.1
		462.5	474.7	12.2	0.62	7.6
	<i>Including</i>	462.5	467.5	5.0	1.03	5.2
	<i>and</i>	469.0	470.5	1.5	0.88	1.3
		473.4	474.7	1.3	0.35	0.5
21ODD-22		104.5	110.5	6.0	16.77	100.6
	<i>Includes</i>	109.0	110.5	1.5	65.68	98.5
		146.0	162.5	16.5	1.97	32.5
		187.5	189.0	1.5	3.67	5.5
		222.5	225.5	3.0	1.32	4.0
		270.0	290.0	20.0	4.63	92.6
	<i>Includes</i>	271.5	273.0	1.5	23.70	35.6
	<i>and</i>	284.0	285.5	1.5	16.04	24.1
		296.0	297.0	1.0	2.02	2.0
		311.0	312.5	1.5	2.63	3.9
21ODD-23		141.0	144.0	3.0	0.48	1.4
		150.5	172.5	22.0	0.82	18.0
	<i>Includes</i>	153.0	162.0	9.0	1.36	12.2

		185.0	192.5	7.5	0.87	6.5
	<i>Includes</i>	189.5	192.5	3.0	1.90	5.7
		309.8	315.8	6.0	1.29	7.7
		333.4	340.0	6.6	1.40	9.2
		357.4	362.0	4.6	1.98	9.1
		373.0	374.5	1.5	2.04	3.1
		380.0	394.1	14.1	3.30	46.5
		397.0	401.5	4.5	1.15	5.2
		431.0	433.0	2.0	4.62	9.2
		447.5	453.5	6.0	2.96	17.8
210DD-024		226	227.4	1.4	2.69	3.8
		259.5	265.5	6.0	15.15	90.9
	<i>Includes</i>	262.5	264.0	1.5	57.27	85.9
		292	293.5	1.5	1.25	1.9
		346	349.5	3.5	1.06	3.7
		358.5	375	16.5	1.38	22.8
	<i>Includes</i>	363	366	3.0	4.74	14.2
		420	427.5	7.5	0.78	5.9
	<i>Includes</i>	424.5	426	1.5	2.37	3.6
		439	452.5	13.5	1.8	24.3
		501.5	518	16.5	0.69	11.4
	<i>Includes</i>	504.5	507.5	3.0	1.1	3.3
	<i>and</i>	515	518	3.0	1.1	3.3
1.7210DD-025		110.5	114	3.5	2.54	8.9
	<i>Includes</i>	111.8	113.2	1.4	5.02	7.0
		150.5	152	1.5	3.10	4.7
		235	236.5	1.5	1.54	2.3
		260.5	263.5	3.0	2.72	8.2
	<i>Includes</i>	262	263.5	1.5	5.11	7.7
		335	345.5	10.5	2.30	24.2
	<i>Includes</i>	339.5	342.5	3.0	5.24	15.7
		447.5	450	2.5	2.10	5.3
		459	460.7	1.7	1.58	2.7
		466	467.2	1.2	3.16	3.8
		469.5	471	1.5	1.13	1.7
210DD-026		165.5	168.5	3.0	1.18	3.5
		203.5	205	1.5	1.18	1.8
		323	325.3	2.3	1.88	4.3

	<i>Includes</i>	323	324.5	1.5	3.10	4.7
		387.5	389	1.5	2.78	4.2
		403.2	413.8	10.6	2.12	22.5
	<i>Includes</i>	403.2	412	8.8	2.50	22.0
		445	464.5	19.5	1.15	22.4
	<i>Includes</i>	448	449.5	1.5	5.65	8.5
		502.5	504	1.5	1.85	2.8

2012 Resampled Core						
Hole ID	Includes	From (m)	To (m)	Interval (m)	Grade (g/t Au)	g/t Au x m
12WED01B		70.2	77.6	7.4	3.20	23.7
		159.3	173.3	14	9.10	127.4
12WED02		189	196.5	7.5	1.70	12.8
		216	220.5	4.5	2.40	10.8
		273.4	277.3	3.8	3.80	14.4
12WED03B		121.5	123	1.5	6.90	10.4
		340.5	343	2.5	6.30	15.8
12WED04		294.5	296	1.5	10.90	16.4
12WED05		218	227	9	1.60	14.4
		302.5	305.5	3	7.70	23.1
		311.5	313	1.5	10.50	15.8
		377	386.5	9.5	1.60	15.2
12WED06B		78	84.5	6.5	1.80	11.7
12WED07B		368.2	379.5	11.3	1.80	20.3
		547.5	551	3.5	4.10	14.4
12WED08		251.5	258.6	7.1	2.50	17.8
12WED11		372	380	8	1.21	9.7
		382	385.5	3.5	0.39	1.4
		400.5	411	10.5	3.93	41.3
		413	419.4	6.4	0.77	4.9
		436	438	2	4.65	9.3
		440.1	442.1	2	7.69	15.4
		460	480.6	20.6	3.55	73.1
	<i>Includes</i>	460	464.5	4.5	8.02	36.1
12WED13		54	58.5	4.5	9.50	42.8

- Includes results as disclosed in previous news releases
- Cutoff 0.3 g/t Au, maximum internal dilution 3.0 m, no capping